


Std. Cabin



Swings and all apparatus, etc. matter, enlisted
equipment for use of
tearage.

They shall not, without
permission, be altered or with
any other way communicated to or handed
to any third party nor used for manufacturing
etc. Any infringement of these conditions
shall be the institution of legal proceedings.

AKTIV-FISCHER AB
MORGONGAVA

27 APR. 1977
2 741022
1 670413
Pos Reg-100

Endast för export. 2
20. lag o. 70. lag

För ej toleranssatta mått tillåtes på denna ritning följande toleranser i två klasser		Klippning, avstånd kant till hål, samt hållavstånd		kantbockning		
mått i to m						
6	+0,2	-0,2	±0,1	+0,4	-0,4	±0,2
30	+0,4	-0,4	±0,2	+1	-1	±0,5
100	+0,6	-0,6	±0,3	+1,6	-1,6	±0,8
300	+1	-1	±0,5	+2,4	-2,4	±1,2
1000	+1,6	-1,6	±0,8	+4	-4	±2
2000	+2,4	-2,4	±1,2	+6	-6	±3

Ståla	Ritad	Normk.	Godk.	Artstyk op.	Material	Bestämning
1:5	0.75 13/4-67	/	/	C.A	HÄRD. GLAS Handvänd glas	VINDRUTA WINDSHIELD
						Vikt/kg Kopia nr Ust. den Ritning nr
						1 /
						STG 00

AB WESTERA MASKINER
MORGO VA

Lyndon Stroth

Sfd. cabin



Drawing and all appurtenant matter, attached equipment shown hereunder, remain our property. They shall not, without permission, either in their original state or with changes, be copied or manifested, shown to any other party, nor used for manufacturing purposes. Any infringement of these conditions shall be the institution of legal proceedings.

AKTIV-FISCHER AB
MORGONCAVA

Provided by:

Lyndon Strothel

27 APR. 1977

1	671130
Pos	Reg. nr
Benämning	

Em.lag o. 7m.lag


Skala	Risud	Normk.	Godf.	Artbeteop.	Material	Benämning
1:5	0.75 13/4-67			C.d. 28/10-69	HÅRD-GLAS Hårdened glass	SIDORUTA T. VINDSK. SIDE WINDOW FRONT.
					Vikt kg	Utl. den
					Kopia nr	Rörning nr
						STG 01

För ej toleranssatta mått tillåtes på denna ritning		Följande toleranser i två klasser	
omavslutande bearbetning, slätsade hål		Klippning, avslutad kant till mål, lämböckning	
mått	samt hålvärd		
6	+0.2	-0.2	±0.1
30	+0.4	-0.4	±0.2
100	+0.6	-0.6	±0.3
300	+1	-1	±0.5
1000	+1.6	-1.6	±0.8
2000	+2.4	-2.4	±1.2

Drawing and all appurtenant matter, entrusted to equipment service, shall remain our property. They shall not, without permission, either in their original state or with changes, be copied or manifolded, shown to any other way communicated to or handed to any third party, nor used for manufacturing purposes. Any infringement of these conditions shall lead to the institution of legal proceedings.

AKTIV-FISCHER AB
MÖRGGONGÄVA

Sfd. cabin



18 3/8

468-2

För ej toleranssatta mått tillåtes på denna ritning följande toleranser i två klasser

Spånvskiljande bearbetning samt hålvstånd	Klippning, evestånd kant till håll samt kantböckning	
	±	±
1 6	+0,2	-0,2
6 30	+0,4	-0,4
0 100	+0,6	-0,6
0 300	+1	-1
0 1000	+1,6	-1,6
0 2000	+2,4	-2,4

Skala	Ritad	Normk.	Godk.	Material	Benämning	Pos	Reg. dag
1:5	C. Th			HÄRD. GLAS	SIDORUTA T. HYTT		
	1/4-67			Hardened glass	SIDE WINDOW		
				AB WESTER MÅSKINER MÖRGGONGÄVA			

AB WESTER MÅSKINER MÖRGGONGÄVA

Arkivkop. C. Th /

Ritning nr ST 6122


7m. lag

Std. cabin.

4.

The drawing and all other important matters entrusted to Equipment Services Ltd. shall remain the property of the company. They shall not, without the written consent of the company, be reproduced, shown to any person, or in any way communicated to or handed over to any other person for use in manufacturing or in the maintenance of these conditions. In the event of legal proceedings, the company shall be held responsible.

ACTIV-FISCHER AB
MORGONGÅVA



220-2

8 8/5

283-2

118

13 13/16

5

27 APR. 1977

För ej toleranssatta mått tillåtes på denna ritning följande toleranser i två klasser

Mått	Klippning, evständig kant till hål		Klippning, evständig kant till hål samt hålavstånd	
	±	±	±	±
10 m	±0,2	±0,1	±0,2	±0,1
30	±0,4	±0,2	-0,4	+0,4
100	±0,6	±0,3	-1	+1
300	±1	±0,5	-1,6	+1,6
1000	±1,6	±1	-2,4	+2,4
2000	±2,4	±1,2	-4	+4
			-6	+6

7.11.77

Skala	Ritad	Normk.	Godk.	Material
1:1	1/1	1/1	1/1	Hård glas
				Hardened glass

Benämning	Ritning nr
REAR WINDOW	ST 65LD

Pos.	Reg. dag




AB WESTERÅ JASKINER MORGONGÅVA



Lyndon Strother provided by

High cabw.

5



608-2
238

5

My 1

Provided by:

Lyndon Strother

Enr.'s on Tank

2 St.

Laminated glass
Laminar of Glas
TYP AS 1

Vindrita
WINDSTRELD

AKTYV-FISCHER AB
MORONGAYVA

ST 6475

AKTYV-FISCHER AB
MORONGAYVA

shall remain our property. They shall not, without our permission, enter in their original state or with any changes, be copied or reprinted, shown to any third party, nor used for reproducing or in any other way communicated to or handed to any person. Any infringement of these conditions will lead to the institution of legal proceedings.

För ej översatta rätt tillika på frans riddig
Solange telefoner i sub nummer
Kopiering, uttryck eller i sin helhet eller delvis
ej tillåtet

Blad	Antal	Pris	Summa
1	1	100	100
2	1	100	100
3	1	100	100
4	1	100	100
5	1	100	100
6	1	100	100
7	1	100	100
8	1	100	100
9	1	100	100
10	1	100	100
11	1	100	100
12	1	100	100
13	1	100	100
14	1	100	100
15	1	100	100
16	1	100	100
17	1	100	100
18	1	100	100
19	1	100	100
20	1	100	100

High cabinet



Lyndon Strother

Provided by

*Equipment returned to
Mitsubishi*

It is the responsibility of the user to ensure that all equipment is returned in good condition. Any damage or loss of equipment will be the responsibility of the user. This equipment is loaned to you for your use only and is not to be sold, transferred, or otherwise disposed of without the written consent of the provider.

AKTIV-FISCHER AB
MORONGAYA

Qty	1
Part	185-2
Substrate	519-2

Number o. 7mm. high


25th.

Stock	Part	Material	Quantity	Notes
1-5	SPE	HARD GLASS		
	1/1675	Hardened glass		

Part	Qty	Material	Notes
185-2	1		
519-2	1		
439-2	1		
17 1/4	1		

ST 6776

Hypocentrum



THE DRAWING IS THE PROPERTY OF
 EQUIPMENT RENTAL LTD.
 AUCKLAND.
 It is to be used only for the purpose for which it was prepared and is not to be
 used for any other purpose without the written consent of the
 company. Any infringement of these conditions will lead to the institution of legal proceedings.
 MORONGAYVA
 AKTIV-FISCHER AB

Lyndon Strother
 Provided by:

För ej tolerans alla mått tillåtes på denna ritning
 Klippning, evändad kant till hål
 samt hål i änd

Slått	±0.2	±0.4	±0.7	±1.0	±1.6	±2.5	±4.0	±6.3	±10	±15	±25	±40	±63	±100
Klippning	±0.2	±0.4	±0.7	±1.0	±1.6	±2.5	±4.0	±6.3	±10	±15	±25	±40	±63	±100
Evändad kant till hål	±0.2	±0.4	±0.7	±1.0	±1.6	±2.5	±4.0	±6.3	±10	±15	±25	±40	±63	±100
Hål i änd	±0.2	±0.4	±0.7	±1.0	±1.6	±2.5	±4.0	±6.3	±10	±15	±25	±40	±63	±100


4 st
 7mm höj

Skala	Ritad	Normk.	Godk.	Material	Beställning
1:5	DOE 4/275	/	/	HÄRD. GLAS Handmed glass	SIDORUTA T.HYT SIDE WINDOW

AB WESTERLASKINER
 MORGON

ST 6417

High carbon



Qty	1	Part No.
Material	Bakrull	
	REAR WINDOW	
	ST 64, B	

7m. hög.

Lyndon Strothel

2 st

Skala	Fasad	Normk.	Geok.	Material
1:25	SVE			Hård glas
	4/25			Hårdare glas
				AB WESTERFORSKINER MORSC

För ej tekniska mått tilläses på denna ritning
för de tekniska måtten i två klasser

Samt alla mått	Klippning, avstånd kant till kant samt kantböckning	
	±0.1	±0.2
±0.2	+0.1	+0.4
±0.4	+0.2	+1
±0.8	+0.5	+1.6
±1.2	+0.8	+2.4
±1.6	+1.2	+3.2
±2.0	+1.6	+4.0